

# KASKI

High-quality Finnish  
entrance doors made in Latvia





[www.kaski.lv](http://www.kaski.lv)

## Unique doors are a big hit

Kaski is a Finnish family company in its second generation. Our product offer includes wooden entrance doors. Kaski products are sold in the Nordic region mainly through builders' merchants. In addition, the company's products reach the market through the construction of new buildings.

In 1978, Eero Kaski founded a door factory using knowledge and carpentry traditions that had been inherited over several generations and passed down from father to son. Eero began working with wood and, as a skilled craftsman, he was easily able to build his own house. But one thing worried him: he couldn't find proper doors anywhere. Being an enterprising young man, he made them himself.

The doors were of a high quality and soon acquaintances in the neighbourhood started ordering doors from Eero. Word of his well-built doors spread, and demand grew rapidly across the country.

Since 1978 the Kaski brand has grown from a one-man company to an international concern employing more than 350 professionals.

In 2015, with the expansion of the business, a large and modern door production plant was opened in Milzkalne in Latvia. Over the years, we have developed and improved our production technologies and the qualifications of our employees to achieve the highest quality standards. Kaski doors are manufactured with knowledge and care; we are always striving to ensure our customers are satisfied. Thanks to our wide range of products, we can meet the wishes of any customer.

Times change, but the foundation remains: always honest service and the best Kaski quality.



*”When guests came to visit, everyone was impressed by our durable, high-quality front door. That’s how the Kaski door concept was born.”*



“The doors become more beautiful in their proper environment” (Eero Kaski)

<b>Inspiration and facts</b>	<b>page</b>
Introduction .....	2
<b>Door collections and facts</b>	
Design .....	4-5
Soldrömmar.....	6-7
Classic .....	8-9
Balcony doors.....	10
Project doors.....	11
Side doors .....	12
Garage doors.....	13
Kaski’s unique door structure.....	13
Key facts and colour choices .....	14-15

# Design

DESIGN COLLECTION: Kaski's 'functional doors' are for modern architecture and meet the wishes of today's customers. The doors are clad with weather-resistant HDF board and painted white, but other colours are available. All doors are available in a Thermo version, with U-values as low as 0.59. Most of the models can also be made as fireproof or sound-insulating doors. Supplied without accessories. Hidden hinges and double doors are available for an additional fee.



ATEN



BARCELONA



BILBAO



BOGOTA



DALLAS



DUBAI



EDINBURGH



GENÈVE



GIBRALTAR



KÖPENHAMN



LISABON



LIVERPOOL



BASIC DATA: HDF surface reinforced with sheet aluminium. The door structure is made of longitudinally finger-jointed pine, combined with plywood. The door frame is made of longitudinally finger-jointed pine without knots, painted in the same tone as the door leaf. The threshold is made from oiled birch and has an aluminium protective strip, 25 mm high. Klar glass is included as standard, but Crepi, Katedral, Cotswold or Satin glass is also available for an additional fee. Standard size 9/10–20/21. Standard doors have a smooth inner side, i.e. without decorative engraving.



MADRID



MALAGA  



MANILLA  



MUMBAI 



NICE  



OSLO  



PRAG 



RIO DE JANEIRO  



SAN SEBASTIAN  



TEL AVIV  



VERONA  

# Soldrömmar

SOLDRÖMMAR COLLECTION: Our Italy-inspired Soldrömmar collection has attracted a lot of attention. The doors are clad with weather-resistant HDF board and painted white, but other colours are available. Can be made as a fireproof and/or sound-insulating door, as well as in a Thermo version, with U-values as low as 0.59. The standard design has a smooth inner side, i.e. without decorative engraving. Hidden hinges and double doors are available for an additional fee.



BERGAMO  



BOSTON  



FIRENZE  



GENOVA  



LIVORNO  



MARSALA  



MILANO  



NAPOLI  



PALERMO  



PARMA  



PERUGIA  

# Soldrömmar

BASIC DATA: HDF surface reinforced with sheet aluminium. The door structure is made of longitudinally finger-jointed pine, combined with plywood. The door frame is made of longitudinally finger-jointed pine without knots, painted in the same tone as the door leaf. The threshold is made from oiled birch and has an aluminium protective strip, 25 mm high. Crepi glass is included as standard, but Klar, Katedral, Cotswold or Satin glass is also available for an additional fee. Standard size 9/10-20/21. Supplied without accessories.



PIOMBINO



PIZA



POMPEI



RIMINI



SIENA



TORINO



VENEZIA



# Classic

CLASSIC COLLECTION: A classic design that suits any home. The doors are clad with weather-resistant HDF board and painted white, but other colours are available. Can be made as a fireproof and/or sound-insulating door, as well as in a Thermo version, with U-values from 0.59. The standard design has a smooth inner side, i.e. without decorative engraving. Hidden hinges and double doors are available for an additional fee.



FALUN



GÄVLE



GÖTEBORG



HAPARANDA\*



HELSINGBORG



KARLSTAD



KIRUNA



LULEÅ



LUND



MALMÖ



MORA



PITEÅ



# Classic

BASIC DATA: HDF surface reinforced with sheet aluminium. The door structure is made of longitudinally finger-jointed pine, combined with plywood. The door frame is made of longitudinally finger-jointed pine without knots, painted in the same tone as the door leaf. The threshold is made from oiled birch and has an aluminium protective strip, 25 mm high. Crepi glass is included as standard, but Klar, Katedral, Cotswold or Satin glass is also available for an additional fee. Klar glass with engraving (Haparanda\*). Supplied without accessories.



RÄTTVIK



SKELLEFTEÅ



STOCKHOLM



SUNDSVALL



UMEÅ



UPPSALA



VISBY



VASTERÅS



YSTAD



ÖREBRO



ÖSTERSUND



# BALCONY DOORS

**BALCONY DOORS COLLECTION:** The door structure is created in the same way as that of entrance doors, but with a larger light input and the appearance of traditional balcony doors. Some models can be made with fireproofing and sound insulation. Thermo versions of the doors, with a total thickness of 86 mm, can also be manufactured. The standard design has a smooth inner side, i.e. without decorative engraving. The threshold is made from oiled birch and has an aluminium protective strip, 25 mm high. Decorative window mouldings and double doors are available for an additional fee. An ASSA 2002-standard lock is included. The fireproof structure includes an ASSA 8765-standard lock.

**BASIC DATA:** HDF surface reinforced with sheet aluminium. The door structure is made of longitudinally finger-jointed pine, combined with plywood. The doors are painted white, but can also come in an aluminium colour. Engraved surface on the outside. Klar glass (tempered for models that need it for safety) is included as standard, but Crepi, Katedral, Cotswold or Satin glass are available for an additional fee.



BERGSGÅRDEN 1  



BERGSGÅRDEN 2  



BERGSGÅRDEN 3  



BERGSGÅRDEN 4  



SUNDBORN 1  



SUNDBORN 2  



SUNDBORN 3  



SUNDBORN 4  



SUNDBORN full glass  



# PROJECT DOORS

BASIC DATA: HDF surface reinforced with sheet aluminium. The doors are painted in standard white. A durable door frame made of longitudinally finger-jointed, painted pine without knots. Supplied without accessories. Standard size 9/10-20/21. Doors are custom made for each order, for example with an electric strike plate, peep hole, door brake, different types of locks, etc.



You can also select: Fire insulation;  
Sound insulation to R'w 40 dB.



# SIDE DOORS


SIDE DOORS AND TOP DOORS: A practical and beautiful option that gives a standard door the double-door look or makes a double door even more impressive. Built with the same structure as that of the matching entrance door. All side doors can be opening or fixed. Total thickness of 62 mm, or 86 mm for Thermo doors.



CLA1



CLA2




CLA3



CLA4



CLA5



CLA6



DLA1



DLA2




DLA3



DLA4




DLA5



DLA6



DLA11




DLA12



KSI



KSI2




KY1

# GARAGE DOORS

GARAGE DOOR COLLECTION: Our garage doors are specially designed to withstand many opening cycles. As standard they are painted white, but can be any colour. The frame is made of pine.

BASIC DATA: Weather-resistant HDF board with decorative engraving. Smooth surface inside, with external fasteners. Delivered without lock or threshold. Standard size 24/25–20/21.




NÜRBURGRING



SILVERSTONE

## KASKI'S UNIQUE DOOR STRUCTURE



**Please note that our garage doors can of course be ordered to match most of our entrance door designs.**

# KEY FACTS AND COLOUR CHOICES

## Kaski entrance doors at a glance

- CE marking
- 12-year non-warping guarantee
- Frame reinforced with laminated veneer lumber (LVL)
- Argon-filled triple-glazed glass
- Top-class thermal insulation
- Choice of thermal structure
- Durable frame constructed from pine
- Double seal – both in frame and in leaf tempered glass used in some door models
- Adjustable burglar-resistant hinges

## Materials and environment

When manufacturing Kaski doors, the latest technologies and specially selected and tested materials are used. The production process is optimally environmentally friendly. The adhesive and surface treatment materials we use are as environmentally friendly as possible and water-based.

## Lacquered HDF entrance door

The structure of the door is reinforced with LVL and sheet aluminium and made of longitudinally finger-jointed, painted pine without knots. The leaf cover is made of HDF, which withstands even the worst weather conditions. Expandable polystyrene (EPS) is used as insulation. The door frame is made of longitudinally finger-jointed, painted pine without knots and the threshold is made of oiled birch with an aluminium front edge and protective strip.

## Surface treatment for entrance doors

Doors with an HDF surface are covered with a protective primer and then painted in white as standard, but on request it is possible to choose another colour from the range of NCS and RAL colours. Please note that sample colours may differ from the actual colour.

## Complete set and hinges

The doors are delivered with 4 (3 for M20-height doors) adjustable burglar-resistant hinges (hidden hinges are available for an additional fee), a lock and a strike plate, but without external accessories such as a cylinder or door handle, which can be ordered separately. The lock provided meets the ASSA 8765 standard and comes with an adjustable strike plate, in size 86/22 for Thermo doors and 62/22 for standard doors. These sizes need to be known in order to ensure that the correct cylinder is inserted if necessary.

## Fire and sound insulation doors

Most door models can be purchased as fireproofed and sound insulated to R'w 40 dB. This meets the standards of the Finnish VTT Institute for the European market. With the same insulation as sound-insulated doors and with a special fireproof seal, our fireproof doors comply with fire protection class EI230. Our fireproof doors are 86 mm and thick and are equipped with an ASSA 8765–standard lock. Their structure differs slightly from our standard doors, but they have the same external appearance.

## Glass alternatives


As standard, our doors are manufactured with Klar or Crepi glass, but Katedral, Cotswold or Satin glass can also be fitted. The glass is tempered for those door models that require it for safety purposes. Laminated glass is also available for an additional fee.

## Warranty

Kaski provides a 5-year factory warranty on all of its doors, as well as a 12-year non-warping warranty. The warranty will be invalidated if doors are not fitted in accordance with the installation instructions. Kaski reserves the right to change and improve the structure of its doors. More information about the guarantee can be viewed on our website, [www.kaski.lv](http://www.kaski.lv)

## Special production


Naturally Kaski also offers bespoke products to meet our customers' needs. This might be for an individual product to create a desired design for a private house, or doors for a large multi-apartment building or terraced houses, where a uniform design is required. We are always happy to help.




CREPI




COTSWOLD



KLAR



SATIN



KATEDRAL


**Kaski reserves the right to make changes to the range without prior notice. Copyright protected.**

# KEY FACTS AND COLOUR CHOICES

## Thermo doors

The warmest entrance doors on the market.

Kaski's special Thermo structure has significantly improved insulation capabilities. All of our HDF entrance doors can be made using this design. The external appearance of the doors does not change, but the thermal insulation improves significantly. With the Thermo structure, it is possible to achieve a U value of as low as 0.59. Not recommended for use with Yale Doorman.




86MM

## Standard doors 1.0

The 1.0 denotes a standard structure door with a maximum U-value of 1.0.

Our standard doors are thinner than our Thermo doors, but still meet the latest U-value requirements.




62MM

## Surface standard colours

All doors are standardly painted white, but on request, it is possible to choose any other colour from the NCS S- and RAL ranges for an additional fee. Some of the most popular colours are shown to the right.

Please note that sample colours may differ from the actual colour.



WHITE (optional)  
NCS S 0502-Y



RED (optional)  
NCS S 4050-R



BLUE (optional)  
NCS S 6020-B



LIGHT GREY (optional)  
NCS S 1502-Y50R



GREEN (optional)  
NCS S 5020-G70Y



YELLOW (optional)  
NCS S 2040-Y20R



DARK GREY (optional)  
NCS S 6000-N

Kaski reserves the right to make changes to the range without prior notice. Copyright protected.

# KASKI



**Kaski, SIA**

**[www.kaski.lv](http://www.kaski.lv)**

"Zēberi", Milzkalne, Smārdes pag.,  
Tukuma nov., Latvija, LV-3148